




www.dentisimplant.co.kr



Tel. +82-1899-2804 | Fax. +82-53-583-2806
99, Seongseoseo-Ro, Dalseo-Gu, Daegu, Korea




Tel. +1-323-677-4363 | Fax. +1-323-677-4366
6 Centerpointe Drive, Suite 600 La Palma CA 90623



Tel. +021-5111-3828 | Fax. +021-5111-3828
上海市长宁区中山西路933号2205室

©2019 DENTIS Co.,Ltd. All Right Reserved.
Specifications are subject to change without notice.
Trademarks are the property of DENTIS Co., Ltd. Or their respective owners.
D-C-SLA-V1-201903-ENG

S-Line Characteristics



S-Line Abutment

Creates natural and functional emergence profile

- Prevents bone loss by avoiding interference with alveolar bone and increases the volume of the soft tissue around implant.
- Prevents infection from such food particles.
- Increases aesthetic value.



Abutment Package

Regular/Wide

s-Clean
TiN Half Coating
Angled Abutment, S-Line
(01)08806169115454(11)180618(10)17C369A

제품명 Dental Implant System
(Product) 치과용 임플란트 상부 구조물
(의료기기)

REF 모델 DSAAZ55154HCT S
(Model)

규격(Size) Ø5.5, C:4.0mm, 15°

타입(Type) s-Clean, Hex

LOT 제조번호 17C369A
(Lot no.)

제조일자 2018.06.18
(Manufactured Date)

유효기간 N/A
(Expiry Date)

포장단위 1SET
(Packing Unit)

품목허가번호 제인06-190호
(MFDS Product License no.)

일회용의료기기 / 재사용금지
실온보관 / Storage at room temperature.

LPABSC08130117C369A

Model

Size


Type

S-Line

Lot no.

Abutment Spec


Regular/Wide



※ Recommended torque : 30Ncm

Healing Abutment

Regular / Wide




DSHZ5540 + DSSFR4010

Abutment Diameter	G/H	Code No.
Ø4.8	2.0mm	DSHZ4820
	3.0mm	DSHZ4830
	4.0mm	DSHZ4840
	5.0mm	DSHZ4850
	6.0mm	DSHZ4860
	7.0mm	DSHZ4870


Abutment Diameter	G/H	Code No.
Ø5.8	2.0mm	DSHZ5820
	3.0mm	DSHZ5830
	4.0mm	DSHZ5840
	5.0mm	DSHZ5850
	6.0mm	DSHZ5860
	7.0mm	DSHZ5870

Abutment Diameter	G/H	Code No.
Ø6.8	2.0mm	DSHZ6820
	3.0mm	DSHZ6830
	4.0mm	DSHZ6840
	5.0mm	DSHZ6850
	6.0mm	DSHZ6860
	7.0mm	DSHZ6870

Abutment Diameter	G/H	Code No.
Ø7.8	2.0mm	DSHZ7820
	3.0mm	DSHZ7830
	4.0mm	DSHZ7840
	5.0mm	DSHZ7850
	6.0mm	DSHZ7860
	7.0mm	DSHZ7870



Sole Abutment
Regular / Wide



DSSAZ5520HCT + DSSFR4010

Abutment Diameter	G/H	P/H	Code No.
Ø4.5	2.0mm	5.5mm	DSSAZ4520HCTS
	3.0mm		DSSAZ4530HCTS
	4.0mm		DSSAZ4540HCTS
	5.0mm		DSSAZ4550HCTS

※ Set Code(S) : Abutment + Healing Cap[DSHC455]

Abutment Diameter	G/H	P/H	Code No.
Ø5.5	2.0mm	5.5mm	DSSAZ5520HCTS
	3.0mm		DSSAZ5530HCTS
	4.0mm		DSSAZ5540HCTS
	5.0mm		DSSAZ5550HCTS




※ Set Code(S) : Abutment + Healing Cap[DSHC555]

Abutment Diameter	G/H	P/H	Code No.
Ø6.5	2.0mm	5.5mm	DSSAZ6520HCTS
	3.0mm		DSSAZ6530HCTS
	4.0mm		DSSAZ6540HCTS
	5.0mm		DSSAZ6550HCTS

※ Set Code(S) : Abutment + Healing Cap[DSHC655]

Abutment Diameter	G/H	P/H	Code No.
Ø7.5	2.0mm	5.5mm	DSSAZ7520HCTS
	3.0mm		DSSAZ7530HCTS
	4.0mm		DSSAZ7540HCTS
	5.0mm		DSSAZ7550HCTS

※ Set Code(S) : Abutment + Healing Cap[DSHC755]



DSSAZ55207HCT + DSSFR4010

Abutment Diameter	G/H	P/H	Code No.
Ø4.5	2.0mm	7.0mm	DSSAZ45207HCTS
	3.0mm		DSSAZ45307HCTS
	4.0mm		DSSAZ45407HCTS
	5.0mm		DSSAZ45507HCTS

※ Set Code(S) : Abutment + Healing Cap[DSHC457]

Abutment Diameter	G/H	P/H	Code No.
Ø5.5	2.0mm	7.0mm	DSSAZ55207HCTS
	3.0mm		DSSAZ55307HCTS
	4.0mm		DSSAZ55407HCTS
	5.0mm		DSSAZ55507HCTS

※ Set Code(S) : Abutment + Healing Cap[DSHC557]





Abutment Diameter	G/H	P/H	Code No.
Ø6.5	2.0mm	7.0mm	DSSAZ65207HCTS
	3.0mm		DSSAZ65307HCTS
	4.0mm		DSSAZ65407HCTS
	5.0mm		DSSAZ65507HCTS

※ Set Code(S) : Abutment + Healing Cap[DSHC657]

Abutment Diameter	G/H	P/H	Code No.
Ø7.5	2.0mm	7.0mm	DSSAZ75207HCTS
	3.0mm		DSSAZ75307HCTS
	4.0mm		DSSAZ75407HCTS
	5.0mm		DSSAZ75507HCTS


※ Set Code(S) : Abutment + Healing Cap[DSHC757]

※ Sole/Couple Abutment G/H 6.0/7.0mm is coming soon.
Angled Abutment Flat type is coming soon.



Sole Healing Cap
Regular / Wide

Abutment Diameter	P/H	Code No.
Ø4.5	5.5mm 7.0mm	DSHC455 DSHC457
Ø5.5	5.5mm 7.0mm	DSHC555 DSHC557
Ø6.5	5.5mm 7.0mm	DSHC655 DSHC657
Ø7.5	5.5mm 7.0mm	DSHC755 DSHC757




Abutment Screw

Type	Code No.
Narrow	DSASS
Regular / Wide	DSAS / 2DSAS(S-Line only)

※ Please pay attention not to use the S-Line abutment mixed with current DENTIS abutment.



Couple Abutment
Regular / Wide [Hex]



DSCAZ4520HHCT + DSSFR4010

Abutment Diameter	G/H	P/H	Code No.
Ø4.5	2.0mm 3.0mm 4.0mm 5.0mm	5.5mm	DSCAZ4520HHCTS DSCAZ4530HHCTS DSCAZ4540HHCTS DSCAZ4550HHCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]

Abutment Diameter	G/H	P/H	Code No.
Ø5.5	2.0mm 3.0mm 4.0mm 5.0mm	5.5mm	DSCAZ5520HHCTS DSCAZ5530HHCTS DSCAZ5540HHCTS DSCAZ5550HHCTS





※ Set Code(S) : Abutment + Abutment Screw[2DSAS]


Abutment Diameter	G/H	P/H	Code No.
Ø6.5	2.0mm 3.0mm 4.0mm 5.0mm	5.5mm	DSCAZ6520HHCTS DSCAZ6530HHCTS DSCAZ6540HHCTS DSCAZ6550HHCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]

Abutment Diameter	G/H	P/H	Code No.
Ø7.5	2.0mm 3.0mm 4.0mm 5.0mm	5.5mm	DSCAZ7520HHCTS DSCAZ7530HHCTS DSCAZ7540HHCTS DSCAZ7550HHCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]





DSCAZ55207HHCT + DSSFR4010

Abutment Diameter	G/H	P/H	Code No.
Ø4.5	2.0mm	7.0mm	DSCAZ45207HHCTS
	3.0mm		DSCAZ45307HHCTS
	4.0mm		DSCAZ45407HHCTS
	5.0mm		DSCAZ45507HHCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]

Abutment Diameter	G/H	P/H	Code No.
Ø5.5	2.0mm	7.0mm	DSCAZ55207HHCTS
	3.0mm		DSCAZ55307HHCTS
	4.0mm		DSCAZ55407HHCTS
	5.0mm		DSCAZ55507HHCTS





※ Set Code(S) : Abutment + Abutment Screw[2DSAS]

Abutment Diameter	G/H	P/H	Code No.
Ø6.5	2.0mm	7.0mm	DSCAZ65207HHCTS
	3.0mm		DSCAZ65307HHCTS
	4.0mm		DSCAZ65407HHCTS
	5.0mm		DSCAZ65507HHCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]


Abutment Diameter	G/H	P/H	Code No.
Ø7.5	2.0mm	7.0mm	DSCAZ75207HHCTS
	3.0mm		DSCAZ75307HHCTS
	4.0mm		DSCAZ75407HHCTS
	5.0mm		DSCAZ75507HHCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]



Couple Abutment

Regular / Wide [N-Hex]



DSCAZ4520NHCT + DSSFR4010

Abutment Diameter	G/H	P/H	Code No.
Ø4.5	2.0mm	5.5mm	DSCAZ4520NHCTS
	3.0mm		DSCAZ4530NHCTS
	4.0mm		DSCAZ4540NHCTS
	5.0mm		DSCAZ4550NHCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]

Abutment Diameter	G/H	P/H	Code No.
Ø5.5	2.0mm	5.5mm	DSCAZ5520NHCTS
	3.0mm		DSCAZ5530NHCTS
	4.0mm		DSCAZ5540NHCTS
	5.0mm		DSCAZ5550NHCTS





※ Set Code(S) : Abutment + Abutment Screw[2DSAS]

Abutment Diameter	G/H	P/H	Code No.
Ø6.5	2.0mm	5.5mm	DSCAZ6520NHCTS
	3.0mm		DSCAZ6530NHCTS
	4.0mm		DSCAZ6540NHCTS
	5.0mm		DSCAZ6550NHCTS


※ Set Code(S) : Abutment + Abutment Screw[2DSAS]

Abutment Diameter	G/H	P/H	Code No.
Ø7.5	2.0mm	5.5mm	DSCAZ7520NHCTS
	3.0mm		DSCAZ7530NHCTS
	4.0mm		DSCAZ7540NHCTS
	5.0mm		DSCAZ7550NHCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]




Angled Abutment
Regular / Wide [15°]



DSAA55152HCTS + DSSFR4010 DSAA55152NHCTS + DSSFR4010


Abutment Diameter	Angle	G/H	Type	Code No.
Ø4.5	15°	3mm	Hex N-Hex	DSAAZ451537HCTS DSAAZ451537NHCTS
		4mm	Hex N-Hex	DSAAZ451547HCTS DSAAZ451547NHCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]




Abutment Diameter	Angle	G/H	Type	Code No.
Ø5.5	15°	3mm	Hex N-Hex	DSAAZ551537HCTS DSAAZ551537NHCTS
		4mm	Hex N-Hex	DSAAZ551547HCTS DSAAZ551547NHCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]




Abutment Diameter	Angle	G/H	Type	Code No.
Ø6.5	15°	3mm	Hex N-Hex	DSAAZ651537HCTS DSAAZ651537NHCTS
		4mm	Hex N-Hex	DSAAZ651547HCTS DSAAZ651547NHCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]




Angled Abutment
Regular / Wide [25°]



DSAA55252HCTS + DSSFR4010 DSAA55252NCTS + DDSSFR4010


Abutment Diameter	Angle	G/H	Type	Code No.
Ø4.5	25°	3.0mm	Hex	DSAAZ452537HCTS
		4.0mm	Hex	DSAAZ452547HCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]




Abutment Diameter	Angle	G/H	Type	Code No.
Ø5.5	25°	3.0mm	Hex	DSAAZ552537HCTS
		4.0mm	Hex	DSAAZ552547HCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]



Abutment Diameter	Angle	G/H	Type	Code No.
Ø6.5	25°	3.0mm	Hex	DSAAZ652537HCTS
		4.0mm	Hex	DSAAZ652547HCTS

※ Set Code(S) : Abutment + Abutment Screw[2DSAS]



S-LINE
ABUTMENT